

My Child's Treatment Journal

Take a look inside!

This Treatment Journal belongs to:

Name		
Address		
Phone		
Email		

Treatment Specialists contacts:

Name	Phone
Name	Phone



A step closer

Your child's treatment on Koselugo will be a journey. Getting off to a good start is key. You can help your child have the best chance at achieving good results by keeping track of any side effects and letting their doctor and care team know as soon as possible.

If your doctor has prescribed Koselugo, you may have questions. There is a support program designed to help you get the most out of your child's treatment. Ask your child's doctor if this is right for them.

Advise your patients or their caregivers to call

1-888-765-4747, or visit www.AlexionOneSource.com, to learn
more or to contact their personal Case Manager

Helpful input

Each section can help you track your child's treatment progress over the course of 1 month. You can note any side effects they may experience so you can share your notes with your child's doctor before or during your next visit. Share your notes with your doctor and the care team early because they can help address many of these issues.

In the section marked other, you can make notes about things your child's doctor may need to know about your child, including any factors that might affect their health; such as diet, new medications, and lifestyle changes.

Things to remember

If you run out of pages you can download another tracker at Koselugo.com.

INDICATION

What is Koselugo?

Koselugo is a prescription medicine that is used to treat children 2 years of age and older with neurofibromatosis type 1 (NF1) who have plexiform neurofibromas that cannot be completely removed by surgery.

It is not known if Koselugo is safe and effective in children under 2 years of age.

Important Safety Information

Before taking Koselugo, tell your healthcare provider about all of your medical conditions, including if you:

- · have heart problems
- have eye problems
- · are pregnant or plan to become pregnant. Koselugo can harm your unborn baby
 - Females who could become pregnant and males with female partners who could become pregnant should use effective birth control (contraception) during treatment with Koselugo and for 1 week after your last dose
 - Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with Koselugo
- · are breastfeeding or plan to breastfeed. It is not known if Koselugo passes into your breast milk
 - · Do not breastfeed during treatment with Koselugo and for 1 week after your last dose
 - · Talk to your healthcare provider about the best way to feed your baby during this time


Please see additional Important Safety Information on pages 30-31 and click here for full Prescribing Information, including Patient Information.



Circle results

NOTES for your next doctor's visit

Describe symptoms (share frequency of issue and describe level of discomfort)...and note any observed changes in your child's PN



0 1 2

0 1 2



Notes Page

Observed PN Changes

	/ 爋	$^{\circ}/_{\odot}$	/ <u>&</u>	1	133	/凸	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestinal Problems		Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2			0		0		0
3	6		0		0		Ö
4	Ŏ		0		0		\circ
5	0		0		0		0
6	0		0		0		0
7	0		0		0		0
8	0		0		0		000
9	0				0		0
10	0			0	0	0	0
11	0				0		0
12	0		Ŏ	0	0	0	O
13	0		0	0	0	0	0
14	0		0	0	0	0	0
15	0		0	0	0	0	0 0 0 0 0 0 0
16	0		0		0	0	0
17	0		0		0	0	0
18	0		0		0	0	0
19	0	0	O	6	0	0	0
20	0		0		0	0	0
21	0		0		0	0	Ö
22	0		0	Ŏ	0	0	0
23	0		Ö	Ŏ	0	0	0
24	0		0	0	0	0	0000
25	0		0	0	0	0	0
26	0		0	0	0	0	Ö
27	0		0	0	0	0	000
28	0		0	0	0	0	0
29	0		0	0	0	0	0
30	0		0	0	0		0
31	0		0		0		0

Side Effect Tracking Page



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes	Circle results	0	1	2	3	4	5	Discomfort level
\sim								
U & N								
Gastrointestinal Problems		0				4	_	D'a confort level
	Circle results	0	1	2	3	4	5	Discomfort level
~ []								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
77								
V2								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues		_			_		_	
	Circle results	0	1	2	3	4	5	Discomfort level
51								
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\circ		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0	0	0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\bigcirc		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	O	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes	Circle results	0	1	2	3	4	5	Discomfort level
\sim								
U & N								
Gastrointestinal Problems		0				4	_	D'a confort level
	Circle results	0	1	2	3	4	5	Discomfort level
~ []								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
77								
V2								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues		_			_		_	
	Circle results	0	1	2	3	4	5	Discomfort level
51								
Observed PN								
Changes								

		\bigcirc/ \bigcirc			/ 3	/ 4	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	0	0	0			0	0
4	\circ		\circ		\circ	0	0
5	\circ		\circ		\circ	0	0
6	\circ		\circ		\circ	0	0
7	\circ		\circ		\circ	0	0
8	\circ		\circ		\circ	0	0
9	0	0	0			0	0
10	\circ		0		0	0	0
11	\circ		\circ		\circ		0
12	0	0	0	0	0	0	0
13	0	0	0		0	0	0
14	0	0	0		0	0	0
15	0	0	0		0	0	0
16	0		0		\circ	0	0
17	0	0	0			0	0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\circ		0		\circ		0
21	0	0	0		0	0	0
22	0	0	0		0	0	0
23	\circ		0		\circ	0	0
24	\circ		0			0	0
25	\circ		\circ		\bigcirc	0	0
26	0	0	0	0	0	0	0
27	0		0		0	0	0
28	0	000	0	000	0	0	0
29	0		0		0		0
30	\circ			0	0	0	000000
31	\circ	Ö	0	O	0	O	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
Q								
4&D								
Gastrointestinal Problems							_	D
	Circle results	0	1	2	3	4	5	Discomfort level
المحت								
KIE								
Skin Issues		0				4	_	Dia a a mafa nt la val
	Circle results	0	1	2	3	4	5	Discomfort level
₹ ₂								
123								
Muscle Aches and Pain	Circle results	0	1	2	3	4	5	Discomfort level
	Circle results				<u>J</u>	-		Disconnior level
Other								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
	23.6 1000.00		_			-		
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\circ		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0	0	0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	O	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes	Circle results	0	1	2	3	4	5	Discomfort level
\sim								
U & N								
Gastrointestinal Problems		0				4	_	D'a confort level
	Circle results	0	1	2	3	4	5	Discomfort level
~ []								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
77								
V2								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues		_			_		_	
	Circle results	0	1	2	3	4	5	Discomfort level
51								
Observed PN								
Changes								

		\bigcirc/ \bigcirc			/ 3	/ 4	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	0	0	0			0	0
4	\circ		\circ		\circ	0	0
5	\circ		\circ		\circ	0	0
6	\circ		\circ		\circ	0	0
7	\circ		\circ		\circ	0	0
8	\circ		\circ		\circ	0	0
9	0	0	0			0	0
10	0		0		0	0	0
11	\circ		\circ		\circ		0
12	0	0	0	0	0	0	0
13	0	0	0		0	0	0
14	0	0	0		0	0	0
15	0	0	0		0	0	0
16	0		0		0	0	0
17	0	0	0			0	0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\circ		0		\circ	0	0
21	0	0	0		0	0	0
22	0	0	0		0	0	0
23	\circ		0		\circ	0	0
24	\circ		0			0	0
25	\circ		\circ		\bigcirc	0	0
26	0	0	0	0	0	0	0
27	0		0		0	0	0
28	0	000	0	000	0	0	0
29	0		0		0		0
30	\circ			0	0	0	000000
31	\circ	Ö	0	O	0	O	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes	Circle results	0	1	2	3	4	5	Discomfort level
\sim								
U & N								
Gastrointestinal Problems		0				4	_	D'a confort level
	Circle results	0	1	2	3	4	5	Discomfort level
~ []								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
77								
V2								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues		_			_		_	
	Circle results	0	1	2	3	4	5	Discomfort level
51								
Observed PN								
Changes								

		\bigcirc/ \bigcirc			/ 3	/ 4	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	0	0	0			0	0
4	\circ		\circ		\circ	0	0
5	\circ		\circ		\circ	0	0
6	\circ		\circ		\circ	0	0
7	\circ		\circ		\circ	0	0
8	\circ		\circ		\circ	0	0
9	0	0	0			0	0
10	0		0		0	0	0
11	\circ		\circ		\circ	0	0
12	0	0	0	0	0	0	0
13	0	0	0		0	0	0
14	0	0	0		0	0	0
15	0	0	0		0	0	0
16	0		0		0	0	0
17	0	0	0			0	0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\circ		0		\circ		0
21	0	0	0		0	0	0
22	0	0	0		0	0	0
23	\circ		0		\circ	0	0
24	\circ		0			0	0
25	\circ		\circ		\bigcirc	0	0
26	0	0	0	0	0	0	0
27	0		0		0	0	0
28	0	000	0	000	0	0	0
29	0		0		0		0
30	\circ			0	0	0	000000
31	\circ	Ö	0	O	0	O	0



\sim								
Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
Gastrointestinal Problems								
Problems	Circle results	0	1	2	3	4	5	Discomfort level
761								
KIN								
Skin Issues								
	Circle results	0	1	2	3	4	5	Discomfort level
47								
133								
Muscle Aches and Pain						4	_	D'a san fact lavel
	Circle results	0	1	2	3	4	5	Discomfort level
7								
Other Issues	Circle results	0	1	2	2	1	5	Discomfort level
	CITCLE LESUITS		1		<u>J</u>	+	J	PISCOULIOIT IEVEL
<i>[</i>]								
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\bigcirc		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0		0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\bigcirc		\circ		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	0	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes	Circle results	0	1	2	3	4	5	Discomfort level
\sim								
U & N								
Gastrointestinal Problems		0				4	_	D'a confort level
	Circle results	0	1	2	3	4	5	Discomfort level
~ []								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
77								
V2								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues		_			_		_	
	Circle results	0	1	2	3	4	5	Discomfort level
51								
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\bigcirc		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0		0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\bigcirc		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	0	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
Q								
4&D								
Gastrointestinal Problems							_	D
	Circle results	0	1	2	3	4	5	Discomfort level
المحت								
KIE								
Skin Issues	0	0				4	_	Dia a a mafa nt la cal
	Circle results	0	1	2	3	4	5	Discomfort level
₹ ₂								
123								
Muscle Aches and Pain	Circle results	0	1	2	3	4	5	Discomfort level
	Circle results				<u>J</u>	-		Disconnior level
Other								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
	23.6 1000.00		_			-		
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\bigcirc		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\circ		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0		0		0		0
10	\circ		0		0	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\bigcirc		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	0	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
0								
(& N								
Gastrointestinal								
Problems	Circle results	0	1	2	3	4	5	Discomfort level
~ k1								
KIN								
Skin Issues								
100000	Circle results	0	1	2	3	4	5	Discomfort level
47								
13								
Muscle Aches and Pain								
	Circle results	0	1	2	3	4	5	Discomfort level
ا ۲۰۰								
Other Issues			4		0	4	_	D'a serifort level
	Circle results	0	1	2	3	4	5	Discomfort level
N								
Observed DN								
Observed PN Changes								

		$ \bigcirc / $			/ 1/3	/ 43	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\circ	0	0			0	0
4	\bigcirc		\circ		\circ		0
5	\bigcirc		\circ		\circ		0
6	\circ	0	0				0
7	\bigcirc		0		\circ		0
8	\bigcirc		\circ		\circ		0
9	0	0	0				0
10	\circ		0		0		0
11	\circ		0		\circ		0
12	0	0	0		0		0
13	0	0	0		0		0
14	0	0	0		0		0
15	0	0	0		0		0
16	\circ		0		0		0
17	0	0	0			0	0
18	\circ		0		\circ		0
19	\bigcirc		0		\circ		0
20	\bigcirc		\circ		\circ		0
21	0	0	0		0		0
22	0	0	0		0		0
23	\circ		0		\circ		0
24	\circ		0		\circ		0
25	\bigcirc		0		\circ		0
26	0	0	0	0	0		0
27	<u> </u>	0	0	0	0		0
28	0		0	0	0		0
29	\bigcirc		0		O		0
30	0	0	00	0	0	O	000000
31	0	0	0	0	0	Ö	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
Q								
4&D								
Gastrointestinal Problems							_	D
	Circle results	0	1	2	3	4	5	Discomfort level
المحت								
KIE								
Skin Issues		0				4	_	Dia a a mafa nt la val
	Circle results	0	1	2	3	4	5	Discomfort level
₹ ₂								
123								
Muscle Aches and Pain	Circle results	0	1	2	3	4	5	Discomfort level
	Circle results				<u>J</u>	-		Disconnior level
Other								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
	23.6 1000.00		_			-		
Observed PN								
Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\circ		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0		0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	0	000000
31	\circ		0	0	0	0	0



Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
0								
(& N								
Gastrointestinal								
Problems	Circle results	0	1	2	3	4	5	Discomfort level
~ k1								
KIN								
Skin Issues								
100000	Circle results	0	1	2	3	4	5	Discomfort level
47								
13								
Muscle Aches and Pain								
	Circle results	0	1	2	3	4	5	Discomfort level
ا ۲۰۰								
Other Issues			4		0	4	_	D'a serifort level
	Circle results	0	1	2	3	4	5	Discomfort level
Ŋ								
Observed DN								
Observed PN Changes								

		\bigcirc/\bigcirc			/ 3	/5	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	\bigcirc		0		\circ	0	0
4	\bigcirc		\circ		\circ	0	0
5	\bigcirc		\circ		\circ	0	0
6	\bigcirc		\circ		\circ	0	0
7	\bigcirc		\circ		\circ	0	0
8	\bigcirc		\circ		\circ	0	0
9	0		0		0		0
10	\circ		0		\circ	0	0
11	\circ		0		\circ		0
12	0	0	0	0	0	0	0
13	0		0		0	0	0
14	0	0	0	0	0	0	0
15	0	0	0		0	0	0
16	\circ		0		\circ		0
17	\circ		0		0		0
18	\circ		0		\circ	0	0
19	\bigcirc		0		\circ	0	0
20	\bigcirc		0		\circ		0
21	0		0		0	0	0
22	0	0	0		0		0
23	\circ		0		\circ	0	0
24	\circ		0		\circ	0	0
25	\bigcirc		\circ		\circ	0	0
26	0	0	0	0	0	0	0
27	0	0	0		0	0	0
28	0		\bigcirc	000	0	0	0
29	0		0		0	0	0
30	\circ	0	\bigcirc	0	00	0	000000
31	\circ		0	0	0	0	0



								1
Heart and								
Breathing Issues	Circle results	0	1	2	3	4	5	Discomfort level
Vision								
Changes								
	Circle results	0	1	2	3	4	5	Discomfort level
(1								_
Gastrointestinal Problems		•	_					D
. 163.65	Circle results	0	1	2	3	4	5	Discomfort level
. /1								
ZZŽI.								
Skin								
Issues	Circle results	0	1	2	3	4	5	Discomfort level
	Circle results				<u> </u>		<u> </u>	Disconniore level
47								
1/53								
Muscle Aches								
and Pain	Circle results	0	1	2	3	4	5	Discomfort level
Other Issues								
- Issues	Circle results	0	1	2	3	4	5	Discomfort level
Observed PN								
Changes								
_ ŭ								

		\bigcirc/ \bigcirc			/ 3	/ 4	
Date	Heart and Breathing Issues	Vision Changes	Gastrointestina Problems	Skin Issues	Muscle Aches and Pain	Other Issues	Observed PN Changes
1	0		0		0		0
2	\bigcirc		\circ		\bigcirc		0
3	0	0	0			0	0
4	\circ		\circ		\circ	0	0
5	\circ		\circ		\circ	0	0
6	\circ		\circ		\circ	0	0
7	\circ		\circ		\circ	0	0
8	\circ		\circ		\circ	0	0
9	0	0	0			0	0
10	0		0		0	0	0
11	\circ		\circ		\circ	0	0
12	0	0	0	0	0	0	0
13	0	0	0		0	0	0
14	0	0	0		0	0	0
15	0	0	0		0	0	0
16	0		0		\circ	0	0
17	0	0	0			0	0
18	\circ		0		\circ	0	0
19	\circ		0		\circ	0	0
20	\circ		\circ		\circ		0
21	0	0	0		0	0	0
22	0	0	0		0	0	0
23	\circ		0		\circ	0	0
24	\circ		0			0	0
25	\circ		\circ		\bigcirc	0	0
26	0	0	0	0	0	0	0
27	0		0			0	0
28	0	000	0	000	0	0	0
29	0		0		0		0
30	0			0	0	0	000000
31	\circ	Ö	0	O	0	O	0



Important Safety Information CONT'D

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, or herbal supplements. Especially tell your healthcare provider if you are taking aspirin, blood thinners, or other medicines to treat blood clots. Koselugo contains vitamin E, which may increase your risk of bleeding.

Koselugo may cause serious side effects, including:

Heart problems. Koselugo can lower the amount of blood pumped by your heart, which is common and can also be severe. Your healthcare provider will do tests before and during treatment with Koselugo to check how well your heart is working. Tell your healthcare provider right away if you get any of the following signs or symptoms:

- persistent coughing or wheezing
- shortness of breath
- swelling of your ankles and feet
- tiredness
- · increased heart rate

Eye problems. Koselugo can cause eye problems that can lead to blindness. Your healthcare provider will check your vision before and during treatment with Koselugo. Tell your healthcare provider right away if you get any of the following signs or symptoms:

- · blurred vision
- loss of vision
- dark spots in your vision (floaters)
- other changes to your vision

Severe diarrhea. Diarrhea is common with Koselugo and can also be severe. Tell your healthcare provider right away the first time that you get diarrhea during treatment with Koselugo. Your healthcare provider may give you medicine to help control your diarrhea and may tell you to drink more fluids.

Skin rash. Skin rashes are common with Koselugo and can also be severe. Tell your healthcare provider if you get any of the following signs or symptoms:

- · rash that covers a large area of your body
- peeling skin
- blisters

Important Safety Information

CONT'D

Muscle problems (rhabdomyolysis). Muscle problems are common with Koselugo and can also be severe. Treatment with Koselugo may increase the level of a muscle enzyme in your blood, which may be a sign of muscle damage. Your healthcare provider should do a blood test to check your muscle enzyme levels before you start taking Koselugo and during treatment. Tell your healthcare provider right away if you get any of the following signs or symptoms:

- · muscle aches or pain
- muscle spasms and weakness
- · dark, reddish urine

Your healthcare provider may change your dose, temporarily stop, or permanently ask you to stop taking Koselugo if you have any of these side effects.

The most common side effects of Koselugo are:

- vomiting
- stomach pain
- nausea
- dry skin
- feeling of tiredness, weakness, or lacking energy
- · muscle and bone pain
- fever
- inflammation of the mouth
- headache
- redness around the fingernails
- itching

These are not all the possible side effects of Koselugo.



